



LEADER INNOVATION

# Lamps

**Bulkheads**

**Hand-held and workshop lamps**

**Exterior lamps  
with movement detector**

**Halogen lamps**

**Light rope system  
Supralight**



# Bulkheads



## Oval bulkheads 60 Watt, IP44, chromated grid

- impact resistant plastic casing
- structured glass
- easy bulb replacement without screws
- folding metal strap, chromized
- screwless connection of cable
- dimensions (WxHxD): 175 x 125 x 110 mm

▶ **water proof IP44**

▶ **technical features: 230 V~, 60 Watt / 100 Watt, E27**



## Oval bulkheads 60 Watt, IP44, chromated grid

item number	description	EAN	UP
0065	60 Watt, light grey	4 006341 000651	10
00651	60 Watt, black	4 006341 613981	10
00341	60 Watt, white/chromated	4 006341 666451	10



## Oval bulkhead 60 Watt, IP44, coated grid

- impact resistant plastic casing
- structured glass
- easy bulb replacement without screws
- screwless connection of cable
- coated grid in various colours
- dimensions (WxHxD): 175 x 125 x 110 mm

▶ **water proof IP44**

▶ **technical features: 230 V~, 60 Watt, E27**



## Oval bulkhead 60 Watt, IP44, coated grid

item number	description	EAN	UP
0034	60 Watt, white	4 006341 000347	10
0035	60 Watt, brown	4 006341 000354	10
0036	60 Watt, yellow	4 006341 000361	10
0037	60 Watt, red	4 006341 000378	10
0038	60 Watt, blue	4 006341 000385	10



# Bulkheads



## Oval bulkheads 100 Watt, IP44

- impact resistant plastic casing
- structured glass
- metal wire holder
- dimensions (WxHxD): 185 x 130 x 110 mm


▶ **water proof IP44**

▶ **technical features:**  
230 V~, 100 Watt, E27



## Oval bulkheads 100 Watt, IP44

item number	description	EAN	UP
0067	100 Watt, light grey	4 006341 000675	2



## Round bulkhead 100 Watt, IP44

- impact resistant plastic casing
- structured glass
- ornament plastic fence
- screwless connection of cable
- easy bulb replacement without screws
- dimensions (ØxH): 205 x 100 mm

▶ **water proof IP44**

▶ **technical features:**  
250 V~, 100 Watt, E27



## Round bulkhead 100 Watt, IP44

item number	description	EAN	UP
0040	100 Watt, white	4 006341 000408	5
0041	100 Watt, red	4 006341 000415	5
0042	100 Watt, brown	4 006341 000422	5
0043	100 Watt, black	4 006341 000439	5
0044	100 Watt, light grey	4 006341 606570	5



# Hand-held and workshop lamps



## Hand lamp, 60 Watt


- safety glass
- fold-away basket, can be opened
- push and impact proof
- suspension hook
- with Euro plug
- dimensions (ØxH): 115 x 220 mm

► **lamp made from full plastic, impact resistant plastic**

► **cable H05VV-F 2x0,75 VDE-HAR**

► **technical features: 250 V~, 60 Watt, E27**

## Hand lamp, 60 Watt

item number	description	EAN	UP
0060	5 m H05VV-F 2x0,75, 60 Watt	 4 006341 000606	15



## Professional hand lamp, 60 Watt


- solid version
- push and impact proof
- suspension hook
- safety glass
- wire grid with protection ring
- screwless heat resistant fitting
- cable with Euro plug
- dimensions (ØxH): 125 x 270 mm

► **handle from thermoelastic plastic**

► **cable H05VV-F 2x0,75**

► **technical features: 250 V~, 60 Watt, E27**

## Professional hand lamp, 60 Watt

item number	description	EAN	UP
0061	5 m H05VV-F 2x0,75, 60 Watt	 4 006341 000613	10



## Professional hand lamp, 100 Watt

- solid version
- push and impact proof
- suspension hook
- safety glass
- wire grid with protection ring
- screwless heat resistant fitting
- with Euro plug
- dimensions (WxHxD): 125 x 270 mm

► **rubber handle**

► **cable H05VV-F 2x0,75**

► **technical features: 250 V~, 100 Watt, E27**

## Professional hand lamp, 100 Watt

item number	description	EAN	UP
0066	5 m H05VV-F 2x0,75, 100 Watt	 4 006341 000668	10

# Hand-held and workshop lamps



## Spare glass, 60 Watt

- dimensions 60 Watt (ØxH): 80 x 100 mm
- dimensions 100 Watt (ØxH): 80 x 120 mm

## Spare glass, 60 Watt

item number	description	EAN	UP
006001	spare glass, 60 Watt	4 006341 060013	1
006006	spare glass, 100 Watt	4 006341 662996	1



## Workshop lamp, 8 Watt, IP20

- solid version
- turnable suspension hook
- push and impact protected
- double isolated
- with Euro plug
- dimensions (ØxH): 30 x 500 mm

▶ **extremely low electricity consumption**

▶ **cable 5 m, H05VV-F 2x0,75 mm<sup>2</sup>**

▶ **illuminant: 8 Watt fluorescent tubes, not exchangeable**

## Workshop lamp, 8 Watt, IP20

item number	description	EAN	UP
0086	5 m, H05VV-F 2x0,75	4 006341 605344	25



## Workshop lamp, 11 Watt, IP44

- solid version
- turnable suspension hook
- push and impact protected
- double isolated
- water proof IP44
- with earthing safety contact
- dimensions (ØxH): 40 x 450 mm

▶ **with switch**

▶ **extremely low electricity consumption**

▶ **cable 5 m, H05RN-F 2x1,0 mm<sup>2</sup>**

▶ **illuminant: 11 Watt - fluorescent tubes, exchangeable**

## Workshop lamp, 11 Watt, IP44

item number	description	EAN	UP
0085	5 m, H05RN-F 2x1,0	4 006341 662859	25

# Beta – Exterior lamps with movement detector



## External security lamp with movement detector, 100 Watt

- crystal bubble glass, Ø 215 mm
- light bulb max. 100 Watt, fitting E 27
- creep protection
- time adjustment, 5 sec - 20 min
- brightness: 2 - 1000 Lux
- screws for wall fixing not visible
- armature made of weather and impact proof plastic
- water proof IP44
- dimensions (WxHxD): 215 x 310 x 280 mm

► **movement detector Beta, 120°**

► **alignment: 330° turnable**

► **range 0-4 m, 0-8 m or 0-12 m adjustable**

► **technical features: 230 V~, 100 Watt**



CE IP44

## External security lamp with movement detector, 100 Watt

item number	description	EAN	UP
0094011	bubble glass, armature black	4 006341 940117	1
0094012	bubble glass, armature white	4 006341 940124	1



## External security lamp with movement detector, 100 Watt

- crystal - relief glass
- light bulb max. 100 Watt, fitting E 27
- creep protection
- time adjustment, 5 sec - 20 min
- brightness: 2 - 1000 Lux
- screws for wall fixing not visible
- armature made of weather and impact proof plastic
- water proof IP44
- dimensions (WxHxD): 220 x 310 x 290 mm

► **movement detector Beta, 120°**

► **alignment: 330° turnable**

► **range 0-4 m, 0-8 m or 0-12 m adjustable**

► **technical features: 230 V~, 100 Watt**



CE IP44

## External security lamp with movement detector, 100 Watt

item number	description	EAN	UP
0094031	relief glass, armature black	4 006341 603821	1
0094032	relief glass, armature white	4 006341 603814	1

# Exterior lamps with movement detector



## Studio outdoor lamp with movement detector, 100 Watt

- crystal bubble glass, Ø 215 mm
- light bulb max. 100 Watt, fitting E 27
- creep protection
- time adjustment, 5 sec - 20 min
- brightness: 2 - 1000 Lux
- 2 switch possibilities:  
ON --> permanent light  
AUTO --> automatically switched on by the movement detector
- screws for wall fixing not visible
- armature made of weather and impact proof plastic
- water proof IP44
- technical features: 230 V~, 100 Watt
- dimensions (WxHxD): 210 x 330 x 260 mm

▶ **movement detector Beta, 120°**

▶ **alignment: 330° turnable**

▶ **range 0-4 m, 0-8 m or 0-12 m adjustable**



CE IP44

## Studio outdoor lamp with movement detector, 100 Watt

item number	description	EAN	UP
0097011	bubble glass, armature black	4 006341 670632	1
0097012	bubble glass, armature white	4 006341 670649	1
0097013	bubble glass, armature silver	4 006341 670656	1



## Contura outdoor lamp with movement detector, 100 Watt

- crystal bubble glass, Ø 215 mm
- light bulb max. 100 Watt, fitting E 27
- creep protection
- time adjustment, 5 sec - 20 min
- brightness: 2 - 1000 Lux
- 2 switch possibilities:  
ON --> permanent light  
AUTO --> automatically switched on by the movement detector
- screws for wall fixing not visible
- armature made of weather and impact proof plastic
- water proof IP44
- technical features: 230 V~, 100 Watt
- dimensions (WxHxD): 210 x 330 x 260 mm

▶ **movement detector Beta, 120°**

▶ **alignment: 330° turnable**

▶ **range 0-4 m, 0-8 m or 0-12 m adjustable**



CE IP44

## Contura outdoor lamp with movement detector, 100 Watt

item number	description	EAN	UP
0098011	bubble glass, armature black	4 006341 680242	1
0098012	bubble glass, armature white	4 006341 680259	1

# Halogen lamps



## Halogen projector, 150 Watt

- case made of coated aluminium diecasting
- front glass made of safety glass
- aluminium reflector, ideal light dispersion
- dimensions (WxHxD): 140 x 180 x 95 mm

▶ **water proof IP44**

▶ **illuminant R7s 150 Watt / 75 mm included**

▶ **technical features: 230 V~, 150 Watt**

## Halogen projector, 150 Watt

item number	description	EAN	UP
0071	black	4 006341 000712	6
0072	white	4 006341 000729	6



## Halogen projector, 500 Watt

- case made of coated aluminium diecasting
- front glass made of safety glass
- aluminium reflector, ideal light dispersion
- dimensions (WxHxD): 185 x 255 x 125 mm

▶ **water proof IP44**

▶ **illuminant R7s 500 Watt / 114 mm included**

▶ **technical features: 230 V~, 500 Watt**

## Halogen projector, 500 Watt

item number	description	EAN	UP
00691	black	4 006341 006912	6
00692	white	4 006341 006929	6



## Halogen projector, 1000 Watt

- case made of coated aluminium diecasting
- front glass made of safety glass
- aluminium reflector, ideal light dispersion
- dimensions (WxHxD): 275 x 300 x 145 mm

▶ **water proof IP44**

▶ **illuminant R7s 1000 Watt / 186 mm included**

▶ **technical features: 230 V~, 1000 Watt**

## Halogen projector, 1000 Watt

item number	description	EAN	UP
00731	black	4 006341 658234	1

# Halogen lamps



## Halogen projector with stand 150 / 500 Watt

- stand made from coated steel pipe
- push and impact proof projector
- with protection grid
- dimensions 150 Watt (WxHxD): 180 x 250 x 160 mm
- dimensions 500 Watt (WxHxD): 230 x 310 x 220 mm

- ▶ **water proof IP44**
- ▶ **illuminant included**  
*R7s 150 Watt / 75 mm or  
R7s 500 Watt / 114 mm*
- ▶ **cable 1,8 m H05RN-F 3G 1,0**
- ▶ **technical features:**  
*230 V~, 150 / 500 Watt*



## Halogen projector with stand 150 / 500 Watt

item number	description	EAN	UP
00713	150 Watt, orange	4 006341 658197	1
0081	500 Watt, orange	4 006341 000811	1



## Halogen projector with movement detector 150 Watt

- case made of coated aluminium diecasting
- front glass made of safety glass
- aluminium reflector, ideal light dispersion
- combination of halogen projector+movement detector
- brightness control: 3 - 1000 Lux
- easy connection by pre-installation
- time adjustment, 5 sec - 8 min
- adjustment: horizontal +/- 40° to 50° vertical
- dimensions (WxHxD): 140 x 200 x 108 mm

- ▶ **water proof IP44**
- ▶ **illuminant R7s 150 Watt / 75 mm included**
- ▶ **range: max 12 m, adjustable**
- ▶ **detection angle: 120°**
- ▶ **technical features:**  
*230 V~, 150 Watt*



## Halogen projector with movement detector 150 Watt

item number	description	EAN	UP
00716	black	4 006341 658203	1
00718	white	4 006341 658210	1

# Halogen lamps



## Halogen projector with movement detector 500 Watt

- case made of coated aluminium diecasting
- front glass made of safety glass
- aluminium reflector, ideal light dispersion
- combination of halogen projector+movement detector
- brightness control: 3 - 1000 Lux
- easy connection by pre-installation
- time adjustment, 5 sec - 8 min
- sensitivity adjustable
- adjustment: horizontal +/- 75° to 90° vertical
- dimensions (WxHxD): 185 x 290 x 128 mm

- ▶ **water proof IP44**
- ▶ **illuminant R7s 500 Watt / 114 mm included**
- ▶ **range: max 12 m, adjustable**
- ▶ **detection angle: 180°**
- ▶ **technical features: 230 V~, 500 Watt**



## Halogen projector with movement detector 500 Watt

item number	description	EAN	UP
00973	white	4 006341 009739	1
00975	black	4 006341 009753	1



## Halogen projector with spike and protection grid

- case made of coated aluminium diecasting
- front glass made of safety glass
- aluminium reflector, ideal light dispersion
- push and impact proof projector
- protection grid
- length of the ground spike about 170 mm
- dimensions 500 Watt (WxHxD): 185 x 430 x 155 mm

- ▶ **water proof IP44**
- ▶ **illuminant R7s 500 Watt / 114 mm included**
- ▶ **cable 1,8 m H05RN-F 3G 1,0**
- ▶ **technical features: 230 V~ / 500 Watt**



## Halogen projector with spike and protection grid

item number	description	EAN	UP
006915	500 Watt, black	4 006341 658227	1

# Halogen lamps



## Halogen projector with stand

- case made of coated aluminium diecasting
- front glass made of safety glass
- aluminium reflector, ideal light dispersion
- push and impact proof projector
- protection grid
- height of the stand height about 1,85 m  
height of the projector about 25 cm =  
total height 2,10 m
- solid tripod
- stable retractable base
- tripod base with stepless adjustment

▶ **water proof IP44**

▶ **illuminant R7s 500 Watt /  
114 mm included**

▶ **cable 3 m  
H05RN-F 3G 1,0 mm<sup>2</sup>**

▶ **technical features:  
230 V~, 500 Watt**

## Halogen projector with stand

item number	description	EAN	UP
008211	1 x 500 Watt, orange	4 006341 658142	1
008221	2 x 500 Watt, orange	4 006341 658159	1



## Illuminat R7s for halogen projectors

- illuminants for all comparable projectors

### Illuminat R7s for halogen projectors

item number	description	EAN	UP
006903	illuminant bulb 150 Watt	4 006341 663092	50
0069	illuminant bulb 500 Watt	4 006341 000699	50
006905	illuminant bulb 1000 Watt	4 006341 662224	50



## Spare glass for halogen projectors

- spare glasses only suitable for our articles

### Spare glass for halogen projectors

item number	description	EAN	UP
006003	spare glass 150 Watt	4 006341 060037	50
006002	spare glass 500 Watt	4 006341 060020	50
006005	spare glass 1000 Watt	4 006341 662231	50

# Supralight light rope system



- ▶ REV Supralight is available in two different versions: With conventional micro-light bulbs or modern LED lamps.
- ▶ Both are absolutely **safe to use** thanks to low-voltage technology.

- ▶ Wide range of accessories for fixing and wiring
- ▶ Compact and clearly presented in our Supralight presenter.

## LED Supralight

Good ratings in the Stiftung Warentest. The durable light rope system with low energy costs. Absolutely safe thanks to 24 V low voltage. Suitable for indoor and outdoor use. Only 1.5 Watt power consumption per meter. LED service life: approx. 30,000 hours. Transparent when switched off. Up to 40 metres rope on a GS certified transformer.



## Classic Supralight

Light rope system with micro-light bulbs. Absolutely safe thanks to 24V low voltage. Suitable for indoor and outdoor use. Up to 15 metres rope on a GS certified transformer.



CE IP64

### Starter Set for LED light rope

- 2 m rubber connection cable H05RN-F 2 x 0.75 mm<sup>2</sup>
- 3 m feed cable from transformer to light rope
- integrated connection
- absolutely safe with low voltage 24 V
- dimensions (WxHxD): 75 x 65 x 95 mm

- ▶ for outdoor and indoor
- ▶ for max. 40 m LED-Supralight light rope
- ▶ water proof IP64
- ▶ technical features: transformer 230 / 24 V~, 60 VA

#### Connection set for LED light rope

item number	description	EAN	UP
00637188	starter set LED 60 VA		2



CE IP64

### Starter set for Classic light rope

- 2 m rubber connection cable H05RN-F 2x0.75 mm<sup>2</sup>
- 3 m feed cable from transformer to light rope
- integrated connection
- absolutely safe with low voltage 24 V
- dimensions (WxHxD): 76 x 65 x 85 mm

- ▶ for outdoor and indoor
- ▶ for max. 8 m classic-Supralight light rope
- ▶ water proof IP64
- ▶ technical features: transformer 230 / 24 V~, 72 VA

#### Starter set for Classic light rope

item number	description	EAN	UP
00637088	starter set Classic 72 VA		2



CE IP64

### Starter set for Classic light rope


- 2 m rubber connection cable H05RN-F 2 x 0.75 mm<sup>2</sup>
- 3 m feed cable from transformer to light rope
- integrated connection
- absolutely safe with low voltage 24 V
- dimensions (WxHxD): 131 x 101 x 53 mm

- ▶ for outdoor and indoor
- ▶ for max. 15 m classic-Supralight light rope
- ▶ water proof IP64
- ▶ technical features: transformer 230 / 24 V~, 156 VA

#### Starter set for Classic light rope

item number	description	EAN	UP
00637089	starter set Classic 156 VA		2

# Light rope system „Supralight”



## LED light rope

- light rope cutable every 30 cm except “multi colour rope” only each 40 cm sliceable,
- for operation with LED-Supralight-Starter-Set
- max. length for transformer 60 VA: 40 m
- watt/meter: 1,5 Watt
- number of LED / meter: 20 LED's
- diameter light rope 12,5 mm

► **80 % energy saving in comparison to the Classic-Supralight**

► **10 times higher life time in comparison to the Classic-Supralight**

► **absolutely safe with low voltage 24 V**

## LED light rope

item number	description	EAN	UP
00637111	LED, 45 m, multicolor	4 006341 668578	1
00637112	LED, 45 m, transparent	4 006341 668585	1
00637113	LED, 45 m, red	4 006341 668592	1
00637114	LED, 45 m, blue	4 006341 668608	1
00637115	LED, 45 m, yellow	4 006341 668615	1



## Classic light rope

- sliceable all 33,3 cm
- for operation with Classic-Supralight-Starter-Set
- max. length for transformer 72 VA: 8 m
- max. length with transformer 156 VA: 15 m
- watt/meter: 9 Watt
- number of microbulbs / meter: 36 microbulbs
- diameter light rope 12,5 mm

► **absolutely safe with low voltage 24 V**


## Classic light rope

item number	description	EAN	UP
00637011	classic, 45 m, multicolor	4 006341 668462	1
00637012	classic, 45 m, transparent	4 006341 668479	1
00637013	classic, 45 m, red	4 006341 668486	1
00637022	classic, 90 m, transparent	4 006341 668523	1
00637024	classic, 90 m, blue	4 006341 668547	1
00637025	classic, 90 m, yellow	4 006341 668554	1

# Light rope system „Supralight”



## Connector for Supralight light rope



- for straight connection of LED- and Classic light ropes
- with sealing material for external applications
- dimensions (ØxH): 17 x 94 mm

## Connector for Supralight light rope

item number	description	EAN	UP
00637511	connector SSP - 2 pieces	4 006341 668639	10

## “L” connector for Supralight light rope



- for right-angled laying of LED and Classic light ropes
- with sealing material for external applications
- dimensions (WxHxD): 54 x 54 x 17 mm

## “L” connector for Supralight light rope

item number	description	EAN	UP
00637521	L-connector SSP - 1 piece	4 006341 668646	5

## “T” connector for Supralight light rope



- to distribute LED- and Classic light rope (branch)
- with sealing material for external applications
- dimensions (WxHxD): 96 x 54 x 17 mm

## “T” connector for Supralight light rope

item number	description	EAN	UP
00637531	T-connector, SSP - 1 piece	4 006341 668653	5

# Light rope system „Supralight”



## PVC channel 150 cm for Supralight light ropes

- for laying of LED- and Classic light rope
- material: transparent PVC
- fastening holes every 12,5 cm

## PVC channel 150 cm for Supralight light ropes

item number	description	EAN	UP
<b>00637541</b>	PVC tube 150 cm	4 006341 668660	20



## Installation clips for Supralight light ropes

- punctual fixing of LED and classical light rope
- material: polypropylene
- dimensions (WxHxD): 16 x 19 x 18,5 mm

## Installation clips for Supralight light ropes

item number	description	EAN	UP
<b>00637551</b>	20 installation clips SSP	4 006341 668677	20



## Suction cups for Supralight light ropes

- ideal for the fixation on flush surfaces, windows, and mirrors
- incl. cable strips
- dimensions (ØxH): 43 x 20 mm

## Suction cups for Supralight light ropes

item number	description	EAN	UP
<b>00637561</b>	10 suction pads SSP	4 006341 668684	10



## Desk lamp

- head of lamp inclinable
- flexible arm (length: 48 mm)
- 1,8 m cable H03 VV-F 2x 0,75 mm<sup>2</sup>
- incl. halogen illuminant 12 V / 35 Watt
- fitting G4
- with Euro plug
- technical features: 230 V~, 50Hz
- dimensions:
- max high: 550 mm
- max Device: 600 mm
- stand: Ø 150 mm
- head: Ø 105 mm

► **modern, pleasant design**

► **stand with integrated transformer**

► **stable stand**

## Desk lamp

item number	description	EAN	UP
<b>00609981</b>	silver	4 006341 676184	1





LEADER INNOVATION

# Highlights for the garden

**Green Craft –  
The all-round-talent  
for your garden**

**Ground stake products**

**Decorative garden  
lamps**

**Solar lamps**



**Green Craft**  
THE ALL-ROUND-TALENT  
FOR YOUR GARDEN

# Green Craft

THE ALL-ROUND-TALENT  
FOR YOUR GARDEN

Made in Germany

## One matches the other.



Automatic switching with  
**timer technology**



Automatic switching with  
**motion detector**



Remote control - even from indoors to outdoors - with  
**wireless technology**



**Lamp**



**Combination**  
Lamp and power supply



**Power supply**

Made in Germany

# Green Craft

THE ALL-ROUND-TALENT  
FOR YOUR GARDEN

## Installation types

### Screw-type socket




For solid surfaces –  
terraces, walls, pathways,  
flagstone

### Ground stake



For hard soil – lawn,  
leveled ground, etc.


### Drive-in sleeve adapter




For soft ground surfaces –  
sand, garden beds, etc.

## Assembly

- Massive, solid plastic conduit
- Secure balance by robust base
- Sockets with self-closing hinged cover
- IP44 splash-proof
- Cover screws made of VA steel (rustproof)
- Impact-resistant, heat and UV light resistant plastics



## Cable connection



- Ready for use with exchangeable rubber feed cable
- Bush for up to 5 x 2.5 mm<sup>2</sup> ground cable.
- Large wiring space
- Connection space is easily accessible from the front

**Dimensions:**  
Ø base: ca. 170 mm  
Ø column: approx. 100mm  
Height see product pages

# Green Craft

THE ALL-ROUND-TALENT  
FOR YOUR GARDEN



## Green Craft with 2 sockets

- 3 ways of fixing:
  - A - fixing of the base with screws
  - B - with spike (supplied)
  - C - with a long metal spike (adapter supplied)
- very suitable for fixed installation
- insertions for cables up to 2,5 mm<sup>2</sup> earth lead
- cable exchangeable
- technical features: 16 A, 230 V~, 3500 Watt
- height: app. 370 mm

▶ **2 safety sockets with cover**

▶ **for outdoor use**


▶ **big connection space – easily accessible from front**

▶ **water proof IP 44**



## Green Craft with 2 sockets

item number	description	EAN	UP
0068200021	2 m cable, H05RN-F 3G1,0	4 006341 658692	1
0068200051	5 m cable, H07RN-F 3G1,5	4 006341 658708	1



## Green Craft with 4 sockets

- each group of 2 sockets is separately connectable
- 3 ways of fixing:
  - A - fixing of the base with screws
  - B - with spike (supplied)
  - C - with a long metal spike (adapter supplied)
- very suitable for fixed installation
- insertions for cables up to 2,5 mm<sup>2</sup> earth lead
- cable exchangeable
- technical features: 16 A / 230 V~, 3500 W
- height: app. 580 mm

▶ **4 safety sockets with cover**

▶ **for outdoor use**

▶ **big connection space – easily accessible from front**

▶ **water proof IP 44**



## Green Craft with 4 sockets

item number	description	EAN	UP
0068400021	2 m cable, H05RN-F 3G1,0	4 006341 658715	1
0068400051	5 m cable, H07RN-F 3G1,5	4 006341 658722	1

# Green Craft

THE ALL-ROUND-TALENT  
FOR YOUR GARDEN



## Green Craft garden light

- 3 ways of fixing:
  - A - fixing of the base with screws
  - B - with spike (supplied)
  - C - with a long metal spike (adapter supplied)
- very suitable for fixed installation
- insertions for cables up to 2,5 mm<sup>2</sup> earth lead
- cable exchangeable
- technical features: 230 V~, 40 Watt
- height: app. 370 mm

▶ **for incandescent and energy saving lamps up to 40 Watt / E14**

▶ **for outdoor use**

▶ **big connection space – easily accessible from front**

▶ **water proof IP44**



## Green Craft garden light

item number	description	EAN	UP
0068030021	2 m cable, H05RN-F 3G1,0	4 006341 658739	1
0068030051	5 m cable, H07RN-F 3G1,5	4 006341 658746	1



## Green Craft garden light with movement detector

- detection angle appr. 10 m
- detection angle 110°
- 3 ways of fixing:
  - A - fixing of the base with screws
  - B - with spike (supplied)
  - C- with a long supplied)
- very suitable for fixed installation
- insertions for cables up to 2,5 mm<sup>2</sup> earth lead
- cable exchangeable
- technical features: 230 V~, 40 Watt
- height: approx. 500 mm

▶ **for incandescent and energy saving lamps up to 40 Watt / E14**

▶ **light switches automatically**

▶ **switching brightness and switching time adjustable**

▶ **for outdoor use**

▶ **big connection space – easily accessible from front**

▶ **water proof IP44**



## Green Craft garden light with movement detector

item number	description	EAN	UP
0068034451	5 m cable, H07RN-F 3G1,5	4 006341 662279	1

# Green Craft

THE ALL-ROUND-TALENT  
FOR YOUR GARDEN



## Green Craft garden light with 2 sockets

- with twilight automatic
- time of lighting adjustable
- 2 safety sockets with cover
- 3 ways of fixing:
  - A - fixing of the base with screws
  - B - with spike (supplied)
  - C - with a long metal spike (adapter supplied)
- very suitable for fixed installation
- insertions for cables up to 2,5 mm<sup>2</sup> earth lead
- cable exchangeable
- technical features: 16 A / 230 V~, 3500 Watt
- height: app. 580 mm

▶ **for incandescent and energy saving lamps up to 40 Watt / E14**

▶ **spot and sockets are separately connectable**

▶ **lamp with 4 operation modes: ON/OFF/AUTO-time/AUTO-brightness**

▶ **for outdoor use**

▶ **big connection space - easily accessible from front**

▶ **water proof IP44**

## Green Craft garden light with 2 sockets

item number	description	EAN	UP
0068235321	2 m cable, H05RN-F 3G1,0	4 006341 658753	1
0068235351	5 m cable, H07RN-F 3G1,5	4 006341 658760	1



## Green Craft 2 sockets with remote controlled socket

- 3 switch functions per socket
  - a) manually ON
  - b) manually OFF
  - c) AUTOMATIC by remote control
- hand held radio control for 8 sockets supplied
- hand-held transmitter compatible with REV Telecomfort range
- operation control lamp and group switch
- 3 ways of fixing:
  - A - fixing of the base with screws
  - B - with spike (supplied)
  - C- with a long metal spike (adapter supplied)
- very suitable for fixed installation
- insertions for cables up to 2,5 mm<sup>2</sup> earth lead
- cable exchangeable
- transmitting frequency 433 MHz, 16 channels
- technical features: 16 A / 230 V~, 3500 Watt
- height: app. 500 mm

▶ **2 safety sockets with cover**

▶ **switching by radio : range about 75 m**

▶ **adjustment for each socket: ON/OFF/RADIO**

▶ **for outdoor use**

▶ **big connection space - easily accessible from front**

▶ **water proof IP44**



## Green Craft 2 sockets with remote controlled socket

item number	description	EAN	UP
0068203251	5 m cable, H07RN-F 3G1,5	4 006341 662545	1
0068203261	10 m cable H07RN-F 3G1,5	4 006341 661586	1

# Green Craft

THE ALL-ROUND-TALENT  
FOR YOUR GARDEN



## Green Craft 2 sockets with timer

- 3 switch functions per socket
  - a) manually ON
  - b) manually OFF
  - c) AUTOMATIC by timer
- daily programme (24h) - shortest interval 15 min
- 3 ways of fixing:
  - A - fixing of the base with screws
  - B - with spike (supplied)
  - C- with a long metal spike (adapter supplied)
- very suitable for fixed installation
- insertions for cables up to 2,5 mm<sup>2</sup> earth lead
- cable exchangeable
- technical features: 16 A / 230 V~, 3500 Watt
- height: app. 500 mm

▶ 2 safety sockets with cover

▶ automatic switching with the timer

▶ adjustment for each socket: ON/OFF/TIMER

▶ for outdoor use

▶ big connection space - easily accessible from front

▶ water proof IP44

## Green Craft 2 sockets with timer

item number	description	EAN	UP
0068206251	5 m cable, H07RN-F 3G1,5	4 006341 662552	1
0068206261	10 m cable H07RN-F 3G1,5	4 006341 661609	1



# Ground stake products



## Outdoor socket with spike and timer

- outside field - flexible current supply
- with self closing cover
- both sockets only switchable through timer
- case colour: green / grey water proof IP44
- technical features: 16 A / 250 V~, 3500 Watt
- dimensions (WxHxD): 190 x 440 x 75 mm

▶ **water proof safety sockets**


▶ **daily programme with 96 switching intervals**

▶ **shortest switching interval 15 minutes**

▶ **approx. 1,5 m rubber cable H07RN-F 3G 1,5 mm<sup>2</sup>**

SGS CE IP44

## Outdoor socket with spike and timer

item number	description	EAN	UP
006349	1,5 m H07RN 3G1,5		12



## Outdoor socket with spike


- outside field - flexible current supply
- body: plastic green/grey
- water proof IP44
- technical features:  
16 A / 250 V~, 3500 Watt
- dimensions 2-fold (WxHxD):  
110 x 345 x 75 mm
- dimensions 4-fold (WxHxD):  
110 x 360 x 125 mm

▶ **water proof safety sockets with self closing cover**

▶ **approx. 1,5 m rubber cable**

SGS CE IP44

## Outdoor socket with spike

item number	description	EAN	UP
006343	2-fold, 1,5 m cable H05RN-F 3G1,0		20
006344	4-fold, 1,5 m cable H07RN-F 3G1,5		20

# Ground stake products and decorative garden lamps



## Gardenspot with twilight switch

- low consumption of electricity
- for incandescent lamps PAR 38, E27, max 80 Watt
- articulations can be locked
- break proof body from special plastic, green colour
- water proof IP44
- technical features: 230 V~, 50 Hz
- illuminants not included
- dimensions (WxHxD):  
1-fold: 105 x 520 x 105 mm  
2-fold: 210 x 520 x 105 mm

- ▶ **with integrated twilight switch**
- ▶ **automatic ON/OFF switching**
- ▶ **2m rubber connection cable H05RN-F 2x0,75mm**

## Gardenspot with twilight switch

item number	description	EAN	UP
0063406	garden spot with sensor 1-fold	4 006341 674739	6
0063416	garden spot with sensor 2-fold	4 006341 674746	6

## Lamps in stone optical characteristic

- stone lights made of polyurethan - plastic
- cable between plug and transformer appr. 1,80 m H05RN-F 2x1
- cable between transformer and contributor appr. 3,0 m H05RN-F 2x1
- cable from contributor to each stone appr. 2,0 m H05RN-F 2x1
- transformer G-tested, 12 V, 28,8 VA
- technical features: 250 V~, 50 Hz
- dimensions of the stones (WxHxD):  
110 x 90 x 85 mm
- dimensions of the transformer (WxHxD):  
100 x 65 x 85 mm

- ▶ **3 stone lights with transformer**
- ▶ **ready for use incl. Illuminant**
- ▶ **for outdoor and indoor use**
- ▶ **each stone light with 10 Watt halogen light**
- ▶ **water proof IP44**



## Lamps in stone optical characteristic

item number	description	EAN	UP
00693011	set of 3 pieces	4 006341 666321	4